

APPENDIX D

BLOOD RESIDUE ARTIFACT CATALOG

7NC-B-54 (Ronald McDonald House)
Presumptive Blood Residue Testing
Artifact Catalog

SL#	Provenience Designation	Artifact ID	Cluster	Raw Material	Technotype	Condition	Utilization	Comments	Presumptive Blood Testing Control Group	Presumptive Blood Residue Test Result
6	136	A	1	quartz	Projectile Point	Proximal	Absent	Notched; gournd notch; radial/flexion	not washed	negative
6	136	A	1	quartz	Projectile Point	Proximal	Absent	Notched; ground notch; radial/flexion	not washed	negative
6	136	B	1	quartz	Projectile Point	Proximal	Present	Notched; flexion; utilization on broken margin	not washed	negative
13	143	A	3	quartzite	Projectile Point	Proximal	Absent	Rossville-like; flexion	not washed	negative
16	146	A	3	quartz	Stage 4 Biface	Proximal	Absent		washed	negative
17	147	A	?	quartz	Stage 3 Biface	Medial	Absent	Two flexion breaks	not washed	negative
19	149	A	1	jasper	Uniface Endscraper	Complete	Present	Core Trimming Flake standard blank	not washed	negative
19	149	B	1	creamy yellow chert	Uniface Retouched Flake		Absent	Cortext Thinning Flake standard blank	not washed	negative
24	154	A	1	jasper	Stage 3 Biface	Irregular	Absent		not washed	negative
24	154	A	1	jasper	Stage 3 Biface	Irregular	Absent		washed	negative
37	167	A	1	quartz	Projectile Point	Distal	Absent	Perverse	not washed	negative
38	168	A	1	mottled gray	Uniface Endscraper	Complete	Present	Core Trimming Flake standard blank;	washed	negative
40	170	A	1	quartz	Projectile Point	Complete	Absent	Lackawaxen/Bare Island	not washed	negative
41	171	B	1	jasper	Uniface Indeterminate	Complete	Present	Platform remnant truncated by flaking; Cortex on 75% of dorsal surface	washed	negative
44	174	A	1	jasper	Uniface Indeterminate	Distal	Present	Probable Core Trimming Flake standard blank; possible En Scraper; edge damaged by thermal alteration	washed	negative
45	175	A	1	quartz	Stage 2 Biface	Proximal	Absent	Flexion	not washed	negative
49	179	A	1	jasper	Uniface Retouched Flake	Complete	Present	Cortext Thinning Flake standard blank	washed	negative
49	179	B	1	jasper	Uniface Endscraper	Complete	Present	Flexion/bedding plane	washed	negative
50	180	B	1	jasper	Uniface Retouched Flake	Irregular	Present	Cortext Thinning Flake standard blank	washed	negative
56	186	A	1	quartzite	Projectile Point	Complete	Absent	Lackawaxen-like; portion of tip and base truncated	washed	negative
58	188	A	?	quartz	Stage 2 Biface	Complete	Absent	Split cobble blank	washed	negative
67	197	A	1	jasper	Stage 2 Biface	Proximal	Absent	Large probable Core Trimming Flake flake blank; flexion	washed	negative
68	198	A	1	quartz	Stage 4 Biface	Proximal	Absent		washed	negative
69	199	A	1	quartz	Projectile Point	Medial	Absent	Notched; flexion	washed	negative
74	204	A	1	indeterminate	Uniface Retouched Flake	Complete	Absent		washed	negative
94	224	A	?	quartz	Stage 2 Biface	Proximal	Absent		washed	negative
105	235	A	5	quartz	Stage 2 Biface	Proximal	Absent	Flexion break	washed	negative
106	236	A	5	jasper	Projectile Point	Complete	Absent	Brewerton Ear-Notched-like; asymmetrical blade	not washed	negative
122	252	A	5	quartz	Stage 4 Biface	Irregular	Absent	Core Trimming Flake standard blank	washed	negative
150	280	A	?	quartz	Uniface Endscraper	Complete	Absent	Large triangular biface with incurvate margins suggestive of resharpening or drill preform	not washed	negative
151	281	A	?	quartz	Projectile Point	Distal	Absent	Flexion	washed	negative
152	282	A	?	quartz	Stage 3 Biface	Proximal	Absent	Flexion break	washed	negative

7NC-B-54 (Ronald McDonald House)
Presumptive Blood Residue Testing
Artifact Catalog

163	293	A	4	quartz	Stage 2 Biface	Proximal	Absent	Core Trimming Flake Standard blank; flexion break	washed	negative
164	294	A	4	quartz	Projectile Point	Complete	Absent	Jacks Reef (Type 3 Berger); beveled	not washed	negative
165	295	A	4	quartz	Projectile Point	Proximal	Absent	Projectile Point ear fragment; perverse fracture	washed	negative
166	296	B	4	quartz	Projectile Point	Proximal	Absent	Stemmed Projectile Point ear fragment; perverse fracture	washed	negative
166	296	B	4	quartz	Projectile Point	Proximal	Absent	Stemmed Projectile Point ear fragment; perverse fracture	washed	negative
175	305	A	6	quartz	Stage 2 Biface	Medial	Absent	1 flexion; 1 internal fracture plane	washed	negative
178	308	K	6	quartz	Projectile Point	Medial	Absent	Flexion breaks	washed	negative
193	323	A	6	quartz	Stage 2 Biface	Proximal	Absent	Flexion	washed	negative
193	323	B	6	quartz	Stage 4 Biface	Proximal	Absent	Core Trimming Flake standard blank	washed	negative
216	346	A	4	quartz	Stage 3 Biface	Proximal	Absent	Flexion	washed	negative
217	347	A	4	quartz	Stage 3 Biface	Complete	Absent	Abandoned because of excessive thickness	washed	negative
238	368	A	?	quartz	Projectile Point	Complete	Absent	Triangular point	washed	negative
246	376	A	?	jasper	Indeterminate Biface	Complete	Absent	Large triangular biface with incurvate margins suggestive of resharpening or drill preform	not washed	negative
254	384	A	?	quartz	Multidirectional Core				not washed	negative
255	385	A	?	quartz	Indeterminate Biface	Medial	Absent	Two flexion breaks	not washed	negative
	46		N/A						McC Taylor artifact	negative
	71		N/A						McC Taylor artifact	negative
	80		N/A						McC Taylor artifact	negative
	108		N/A						McC Taylor artifact	negative
	112		N/A						McC Taylor artifact	negative
	115		N/A						McC Taylor artifact	negative
	116		N/A						McC Taylor artifact	negative